

Snaps and Pres-N-Snap Tool

Snaps are used to connect a ground cord to a static mat. Grommet and Clinch Style snaps are attached with a Pres-N-Snap. nickel plated brass snaps provide electrical connection and a long service life.



SNAPSOCKET3/8:

- 3/8" (10 mm) Female Snap Grommet Style

Socket snaps are held in place by crimping the tip of an eyelet through the center of the socket with a snap tool. This traps the mat between the socket on the top of the mat and the eyelet on the back of the mat. 10 sockets and eyelets are included in each pack.



SNAPSOCKET3/8 and 3034

SNAPSTUD10 3/8:

- 3/8" (10 mm) Male Snap Grommet Style

Stud snaps are held in place by crimping the tip of an eyelet through the center of the stud with a snap tool. This traps the mat between the stud on the top of the mat and the eyelet on the back of the mat. 10 studs and eyelets are included in each pack.



SNAPSTUD10 3/8 and 3033

FPSNAP:

- 3/8" (10 mm) Female Snap Prong Clinch Style

Prong Clinch snaps are held in place by pushing the prongs through the mat and crimping them on the bottom of the mat.




FPSNAP and 3050

PRES-N-SNAP TOOL:

- For Attaching Grommet Style Snaps
- Versatile and easy to use.
- Capable of setting numerous brands of fasteners simply by changing the dies.



Item	Description
3033	3/8" Male Stud and Eyelet
3034	3/8" Female Socket and Eyelet
3050	3/8" Female 8-Prong Snap
FPSNAP	3/8" Female Prong Snap
PRES-N-SNAP TOOL	Snap Attaching Tool
SNAPSOCKET3/8	3/8" Female Socket
SNAPSTUD10 3/8	3/8" Male Stud



Pres-N-Snap Tool Instructions

1. Press the eyelet through the mat from the back. (A utility knife or Phillips screw driver can be used to make a hole.)
2. Place the socket or stud on top of the eyelet.

Specifications and procedures subject to change without notice.



SNAPS AND PRES-N-SNAP TOOL

926 JR Industrial Drive, Sanford, NC 27332
 WEB SITE: StaticControl.com
 PHONE (919) 718-0000

DRAWING NUMBER
 PRES-N-SNAP

DATE
 August 2015

© 2015 DESCO INDUSTRIES INC.
 Employee Owned