# SAFETY DATA SHEET



# ISOFLEX TOPAS NB 52

Date of printing :24-07-2018Date of issue 24-07-2018SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product name	: ISOFLEX TOPAS NB 52
Product code	: 004131
Product description	: Grease

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

#### 1.3 Details of the supplier of the safety data sheet

Baskiville Ltd 16 Methven Chertsey Road Methven

e-mail address of person : info@baskiville.co.nz responsible for this SDS

#### National contact

#### 1.4 Emergency telephone number

<u>Supplier</u>	
Emergency telephone number	: 0800764766 (National Poison Centre) 0274768214

: Not applicable.

: Not applicable.

# **SECTION 2: Hazards identification**

2.1 Classification of the sub	stance or mixture		
Product definition	: Mixture		
Classification according to	Regulation (EC) No. 1272/2008 [CLP/GHS]		
Not classified.			
Ingredients of unknown toxicity	:		
Ingredients of unknown ecotoxicity	:		
Classification according to	Classification according to Directive 1999/45/EC [DPD]		
The product is not classified	as dangerous according to Directive 1999/45/EC and its amendments.		
Classification	: Not classified.		
See Section 16 for the full text of the R phrases or H statements declared above.			
See Section 11 for more deta	ailed information on health effects and symptoms.		
2.2 Label elements			
Hazard pictograms	:		
Signal word	: No signal word.		
Hazard statements	: No known significant effects or critical hazards.		
Precautionary statements			
Prevention	: Not applicable.		
Response	: Not applicable.		

Storage

Disposal

ISOFLEX TOPAS NB 52		
SECTION 2: Hazards identification		
Hazardous ingredients	:	
Supplemental label elements	: Contains N-alkylated benzotriazole. May produce an allergic reaction. Safety data sheet available for professional user on request.	
Special packaging requirem	<u>ients</u>	
Containers to be fitted with child-resistant fastenings	: Not applicable.	
Tactile warning of danger	: Not applicable.	
2.3 Other hazards		
Other hazards which do not result in classification	: Not available.	
Additional warning phrases	: Not available.	

### **SECTION 3: Composition/information on ingredients**

Substance/mixture	: Mixture
Description	: Synthetic hydrocarbon oil barium complex soap

			Class	ification	Туре
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Benzenamine, N- phenyl-, reaction products with 2,4,4- trimethylpentene	EC: 270-128-1 CAS: 68411-46-1	<25	R52/53	Aquatic Chronic 3, H412	[1]
N-alkylated benzotriazole	CAS: 94270-86-7	0.1- 0.25	Xi; R38 R43 N; R51/53	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

• • • • •	to. 1907/2006 (REACH), Almex II - Officer Kingdolin (OK)	
ISOFLEX TOPAS NB 52		
SECTION 4: First aid mea	ures	
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a positio comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.	
4.2 Most important symptom	and effects, both acute and delayed	
Potential acute health effect	È	
Eye contact	: No known significant effects or critical hazards.	
Inhalation	: No known significant effects or critical hazards.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: No known significant effects or critical hazards.	
Over-exposure signs/sympt	u <u>ms</u>	
Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	
4.3 Indication of any immedia	e medical attention and special treatment needed	
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>	
Specific treatments	: No specific treatment.	
SECTION 5: Firefighting r	easures	
5.1 Extinguishing media		
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: None known.	
5.2 Special hazards arising fr	om the substance or mixture	
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous combustion products	: No specific data.	
5.3 Advice for firefighters		
Special precautions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitabl training.	
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental re	ease measures	
6.1 Personal precautions, pro	ective equipment and emergency procedures	
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.	
For omorgonou roonandara	. If appaielized elething is required to deal with the apillage, take note of any	

**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

ISOFLEX TOPAS NB 52			
SECTION 6: Accidental r	elease measures		
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
6.3 Methods and materials for containment and cleaning up			
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.		
6.4 Reference to other sections	<ul> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See Section 13 for additional waste treatment information.</li> </ul>		

# **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures Advice on general occupational hygiene	<ul> <li>Put on appropriate personal protective equipment (see Section 8).</li> <li>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</li> </ul>
7.2 Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

# **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

# 8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring : procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.
--	--

# **Derived effect levels**

ISOFLEX TOPAS NB 52

# **SECTION 8: Exposure controls/personal protection**

No DELs available.

# Predicted effect concentrations

No PECs available.

8.2 Exposure controls		
Appropriate engineering controls	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Individual protection meas	ures	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

:	Paste.
:	Beige.
:	Characteristic.
:	Not available.
:	Not available.
:	Not available.
:	Not applicable.
:	Not available.
:	Not applicable.
:	Not applicable.
:	Not available.
:	Not available.
:	0.96 g/cm <sup>3</sup> [20°C]

Version : 2

Bulk Density	: Not available.
Solubility(ies)	: Insoluble in the following materials: cold water and hot water.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Explosive properties	: Not available.
Oxidising properties	: Not available.

No additional information.

SECTION 10: Stability and reactivity		
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	: The product is stable.	
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	: No specific data.	
10.5 Incompatible materials	: No specific data.	
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene	LD50 Dermal	Rabbit	>2000 mg/kg	-
51	LD50 Oral	Rat	>5000 mg/kg	-
Conclusion/Summary	: Not available.			
Acute toxicity estimates				
Not available.				
Irritation/Corrosion				
Conclusion/Summary	: Not available.			
<u>Sensitiser</u>				
<b>Conclusion/Summary</b>	: Not available.			
<u>Mutagenicity</u>				
Conclusion/Summary	: Not available.			
<u>Carcinogenicity</u>				
Conclusion/Summary	: Not available.			
Reproductive toxicity				
Conclusion/Summary	: Not available.			
<u>Teratogenicity</u>				
Conclusion/Summary	: Not available.			
Specific target organ toxicity	<u>r (single exposure)</u>			
Not available.				

Conforms to Regulation (EC)	No. 1907/2006 (REACH), Annex II - United Kingdom (UK)		
SECTION 11: Toxicological information			
Specific target organ toxicit Not available.	y (repeated exposure)		
<u>Aspiration hazard</u> Not available.			
Information on the likely routes of exposure	: Not available.		
Potential acute health effect			
Inhalation	: No known significant effects or critical hazards.		
Ingestion	: No known significant effects or critical hazards.		
Skin contact	: No known significant effects or critical hazards.		
Eye contact	: No known significant effects or critical hazards.		
-	vsical, chemical and toxicological characteristics		
Inhalation	: No specific data.		
Ingestion	: No specific data.		
Skin contact	: No specific data.		
Eye contact	: No specific data.		
•	cts and also chronic effects from short and long term exposure		
Short term exposure	cis and also enforme enects from short and long term exposure		
Potential immediate effects	: Not available.		
Potential delayed effects	: Not available.		
Long term exposure Potential immediate effects	: Not available.		
Potential delayed effects			
Potential chronic health effe Not available.			
Conclusion/Summary	: Not available.		
General	: No known significant effects or critical hazards.		
Carcinogenicity	: No known significant effects or critical hazards.		
Mutagenicity	: No known significant effects or critical hazards.		
Teratogenicity	: No known significant effects or critical hazards.		
Developmental effects	: No known significant effects or critical hazards.		
Fertility effects	: No known significant effects or critical hazards.		
Other information	: Not available.		
SECTION 12: Ecological i	nformation		
12.1 Toxicity			
Conclusion/Summary	: Not available.		
12.2 Persistence and degrada	ability		
Conclusion/Summary	: Not available.		
<b>12.3 Bioaccumulative potential</b> Not available.			
12.4 Mobility in soil			
Soil/water partition coefficient (Koc)	: Not available.		
Mobility	: Not available.		

ISOFLEX TOPAS I	3 52
SECTION 12: Ec	logical information
12.5 Results of PB	and vPvB assessment
PBT	: Not applicable.
vPvB	: Not applicable.

#### **12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	<ul> <li>Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.</li> </ul>
<u>Packaging</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	<ul> <li>This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.</li> </ul>

### **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
14.6 Special precautions for user	Not available.	Not available.	Not available.
Additional information	-	-	-

14.7 Transport in bulk: Not available.according to Annex II ofMARPOL 73/78 and the IBCCode

SECTION 15: Regulatory information		
15.1 Safety, health and enviro EU Regulation (EC) No. 190	onmental regulations/legislation specific for the substance or mixture	
Annex XIV - List of substances subject to authorisation		
Substances of very high	concern	
None of the components a	are listed.	
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.	
Other EU regulations		
Europe inventory	: Not determined.	
Black List Chemicals	: Not listed	
Priority List Chemicals	: Not listed	
Integrated pollution prevention and control list (IPPC) - Air	: Not listed	
Integrated pollution prevention and control list (IPPC) - Water	: Not listed	
International regulations		
Chemical Weapons Convention List Schedule I Chemicals	: Not listed	
Chemical Weapons Convention List Schedule II Chemicals	: Not listed	
Chemical Weapons Convention List Schedule III Chemicals	: Not listed	

15.2 Chemical Safety	:	This product contains substances for which Chemical Safety Assessments are still
Assessment		required.

# **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration</li> </ul>
	RRN = REACH Registration Number

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classi	fication	Justification
Not classified.		
Full text of abbreviated H statements	H411 Toxic to aquatic	ation. Ilergic skin reaction. Iife with long lasting effects. tic life with long lasting effects.
Full text of classifications [CLP/GHS]		AQUATIC TOXICITY (CHRONIC) - Category 2 AQUATIC TOXICITY (CHRONIC) - Category 3 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITIZATION - Category 1

ISOFLEX TOPAS NB 52	
SECTION 16: Other information	
Full text of abbreviated R phrases	<ul> <li>R38- Irritating to skin.</li> <li>R43- May cause sensitisation by skin contact.</li> <li>R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> <li>R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</li> </ul>
Full text of classifications [DSD/DPD]	: Xi - Irritant N - Dangerous for the environment
Version	: 2
Date of printing	: 2011-10-17.
Date of issue	: 2011-10-17
Date of previous issue	: 2011-10-17.
Prepared by	: Material Compliance Management +49 (0) 89 7876 1564

#### Notice to reader

This safety datasheet applies only to products originally packaged and labelled by KLÜBER LUBRICATION. The information contained therein is protected by copyright and must not be reproduced or amended without the express written approval of KLÜBER LUBRICATION. This document may be passed on only to the extent required by law. Any dissemination of our safety datasheets (e.g. as a document for download from the Internet) beyond this legally required extent is not permitted without express written consent. KLÜBER LUBRICATION provides its customers with amended safety datasheets as prescribed by law. The customer is responsible for passing on safety datasheets and any amendments contained therein to its own customers, employees and other users of the product. KLÜBER LUBRICATION provides no guarantee that safety datasheets received by users from third parties are up-to-date.

All information and instructions in this safety datasheets were compiled to the best of our knowledge and are based on the information available to us. The data provided are intended to describe the product in relation to the required safety measures; they are neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and do not justify any contractual legal relationships.